



Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.

# Journal Pre-proof

## Role of Ayurveda and Yoga-Based lifestyle in the COVID-19 Pandemic – A Narrative Review

Chikkanna Umesh, Scientist-C(Ayurveda), Kishore Kumar Ramakrishna, Professor of Ayurveda, Nishitha Jasti, Scientist-B(Yoga), Hemant Bhargav, Assistant Professor of Yoga, Shivarama Varambally, Professor of Psychiatry and Head

PII: S0975-9476(21)00141-8

DOI: <https://doi.org/10.1016/j.jaim.2021.07.009>

Reference: JAIM 493

To appear in: *Journal of Ayurveda and Integrative Medicine*

Received Date: 5 September 2020

Revised Date: 9 July 2021

Accepted Date: 9 July 2021

Please cite this article as: Umesh C, Ramakrishna KK, Jasti N, Bhargav H, Varambally S, Role of Ayurveda and Yoga-Based lifestyle in the COVID-19 Pandemic – A Narrative Review, *Journal of Ayurveda and Integrative Medicine*, <https://doi.org/10.1016/j.jaim.2021.07.009>.

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

© 2021 The Authors. Published by Elsevier B.V. on behalf of Institute of Transdisciplinary Health Sciences and Technology and World Ayurveda Foundation



**Title of the article:** “Role of Ayurveda and Yoga-Based lifestyle in the COVID-19 Pandemic  
– A Narrative Review”

**Contributors:**

1. Chikkanna Umesh, Scientist-C(Ayurveda), Department of Integrative Medicine, NIMHANS, Bangalore, India.
2. Kishore Kumar Ramakrishna\*, Professor of Ayurveda, Department of Integrative Medicine, NIMHANS, Bangalore, India.
3. Nishitha Jasti, Scientist-B(Yoga), Department of Integrative Medicine, National Institute of Mental Health and Neurosciences, Bangalore, India.
4. Hemant Bhargav, Assistant Professor of Yoga, Department of Integrative Medicine, National Institute of Mental Health and Neurosciences, Bangalore, India.
5. Shivarama Varambally, Professor of Psychiatry and Head, Department of Integrative Medicine, National Institute of Mental Health and Neurosciences, Bangalore, India.

**\*Corresponding Author:**

Dr Kishore Kumar Ramakrishna

Professor of Ayurveda

Department of Integrative Medicine NIMHANS,

Hosur Road, Bangalore-560029.

Email: ayurkishore@gmail.com

Mobile: +919845829174

**Title of the article:** Role of Ayurveda and Yoga-Based lifestyle in the COVID-19 Pandemic–  
A Narrative Review

Journal Pre-proof

**Abstract**

The COVID-19 pandemic has posed an immense challenge to health care systems around the globe in terms of limited health care facilities and proven medical therapeutics to address the symptoms of the infection. The current health care strategies have primarily focused on either the pathogen or the environmental factors. However, efforts towards strengthening the host immunity are important from public health perspective to prevent the spread of infection and downregulate the potency of the agent. While a vaccine can induce specific immunity in the host, non-specific ways of improving overall host immunity are the need. This scenario has paved the way for the use of traditional Indian therapies such as Ayurveda and Yoga. This review aims at collating available evidence on Ayurveda, Yoga and COVID-19. Further, it draws inferences from recent studies on Yoga and Ayurveda on immunity, respiratory health and mental health respectively to approximate its probable role in prophylaxis and as an add-on management option for the current pandemic.

## 1. Introduction

The COVID-19 pandemic has become a major global challenge, especially for the Health care sector. In the current situation where the number of positive cases of COVID-19 is outstripping existing healthcare facilities, an economically feasible therapeutic option is of critical importance. Strategies that can improve immune surveillance and resilience in terms of reduction in inflammatory markers and improvement in the activity of the specific immune cells involved in the pathogenesis of COVID-19 is the need of the hour. Conti et al, suggested that reduction of inflammatory responses is a relevant strategy to reduce the severity of the COVID-19 disease, which could potentially reduce the number of cases requiring critical care [1]. The current health care strategies have primarily focussed on either the pathogen or on the environmental factors. However, the efforts towards strengthening the host immunity are important from public health perspective to prevent the spread of infection and downregulate the potency of the agent. While a vaccine can induce specific immunity to the host [2], non-specific ways of improving overall host immunity are the need of the hour. Thus, traditional Indian systems of medicine such as Ayurveda and Yoga should be explored for their potential role in improving host immunity and reducing severity of the infection.

This review aims at consolidating the existent literature available on Yoga and Ayurveda for COVID-19. Further, it infers the ancilliary evidences for utility of Yoga and Ayurveda in enhancing health in three major domains: 1) Immune system, 2) Respiratory system and 3) Mental health, that are more vulnerable during COVID-19 infection.

## 2. Understanding COVID-19

### 2.1 Ayurveda Perspective

According to Ayurveda classics, the term *Janapadodhwamsa* (epidemic diseases) has been used to describe epidemics/pandemics which manifest due to polluted *vāyu* (air), *bhūmi* (land), *jala* (water) and *kāla* (vitiated seasons). These are considered to be consequences of '*prajñāparādha*' (crime against wisdom) and '*adharma*' (Unrighteousness) [3]. Ayurveda classics have described the concept of *sūkshmakṛmi*/ *bhūta* (organisms invisible to naked eye). The term *bhūtabiṣāṅga* (exogenous cause) has been used to describe diseases caused by them [4]. Fever due to *bhūtabiṣāṅga* is similar to the conditions explained during the epidemics/pandemics. In the Ayurveda context of epidemic diseases, terms such as *saṃsargaja* and *upsargaja* have been used to indicate transmission from infected to the healthy through contact including exhaled air. The modes of spread in *janapadodhwamsa* has been described as through *gātrasaṃsparsa* (touch), *niṣwāsa* (inhalation), *sahabhojana* (eating together), *sahāsana*

(sleeping together) and *sahagandhamālyānulepana* (use of infected articles) [5]. Interestingly, Susruta has also described a condition that mimics all symptoms of an influenza-like illness such as the current COVID-19 viz., *jwara* (fever), *śwāsa* (difficulty in breathing), *kāsa* (cough), *sīroruk* (head ache), *pratisyāya* (common cold), *gandhaajñana* (anosmia), *bhrama* (giddiness/postural instability), and *vamathu* (vomiting) [6].

Clinical symptoms reported by Huang et al., from heavily affected places of COVID-19 suggests, 98% patients had mild to moderate fever (*jwara*), 76% had cough (*kāsa*) and 44% had myalgia (*aṅgamarda*) and fatigue (*tandrā*). Among those who developed pneumonia, 99% had fever (*jwara*), 70% had fatigue (*tandrā*), 59% dry cough (*vātikakāsa*), 40% anorexia (*aruci*), 35% had myalgia (*aṅgamarda*), 31% had dyspnea (*śwāsa*) and 27% had sputum production (*kaphajakāsa*) [7]. Considering all these factors, COVID-19 can be considered as a *kapha-vātasamsargajwara* (a febrile condition with predominance of *kapha* and *vāta*) [3], with pitta association [3], in the initial stages. At advanced stages it acquires that status of overt *sannipātajwara* (a febrile condition with predominance of all *tridoṣaḥ* viz., *vāta pitta* and *kapha*-a disease involving all *tridoṣaḥ* in its pathophysiology) which has been described in Ayurveda as difficult to cure) [4].

## 2.2. Yoga Perspective

Yoga therapy emphasises on modulation of host factors such as regulation and moderation of the lifestyle factors [8]. Host immunity is downregulated due to altered lifestyle patterns such as consumption of unwholesome food, physical inactivity, improper sleep-wake cycle, increase in workload, stress and addictions [9,10]. This results in fragility of the immune resilience that makes the host succumb to the virulence of the virus. Thus, the aim of Ayurveda and Yoga therapeutics is to enhance host immunity and reduce the extent of infection and inflammation in the body by balancing body humors and lifestyle factors.

## 3. Potential Role of Ayurveda and Yoga in COVID-19 Infection: Current Evidence Base

To understand the role, we have categorized our literature search into three domains which are commonly involved in COVID-19 infection: 1) Immune system, 2) Respiratory System and 3) Mental Health

### 3.1 COVID-19 Infection Current Evidence base

#### 3.1.1 Ayurveda

Using the key words “Ayurveda” and “COVID” in search engine PubMed till 20<sup>th</sup> December 2020. We found 218 articles; out of these 218 articles 63 dealt with Ayurveda. Among these 63

articles on Ayurveda and COVID-19, 45 articles were reviews, letters to editor or concept papers. 18 articles were experimental studies. Out of 18 experimental studies 1 was double blind Randomized controlled trial (RCT), 1 was uncontrolled RCT on Influenza like illness, 1 prospective open label interventional clinical trial, 2 case studies and 13 were Insilico/docking studies. Insilico/Docking studies were conducted on Āyurveda herbs such as *Asparagus Racemosus*, *Tinospora cordifolia*, *Nigella sativa*, *Withania Somnifera*, *Andrographis paniculate* and *Zingiber*. Much of the data on anti-viral properties of medicinal herbs come from Insilico and in-vitro studies. Molecular docking studies suggest that curcumin and nimbin withaferin A, piperine, mangiferin, thebaine, berberine, and andrographolide have significant binding affinity towards spike glycoprotein of SARS-CoV-2 and ACE2 receptor and may be useful as a therapeutic and/or prophylactic agent for restricting viral attachment to the host cells. Resveratrol, quercetin, luteolin, naringenin, zingiberene, and gallic acid has the significant binding affinity towards ACE2 receptor only and therefore may be used for ACE2-mediated attachment inhibition of SARS-CoV-2 [11]. Study with *Asparagus Racemosus* (Willd.) found Asparoside-C, Asparoside-D and Asparoside -F were most effective against NSP15 Endoribonuclease and spike receptor-binding domain [12]. Further studies demonstrated Berberine a chemical constituent of *Tinospora cordifolia* can regulate 3CLpro protein's function due to its easy inhibition and thus can control viral replication [13]. Among twenty-five phytocomponents of *Nigella sativa*; alpha-spinasterol, beta-sitosterol, campesterol, taraxerol and 24-methylene-cycloartanol showed best binding affinity against N-terminal RNA binding domain of nucleocapsid protein and papain-like protease of SARS-CoV-2 [14]. Docking study with *Withania somnifera* (Ashwagandha) found four constituents; Withanoside II, Withanoside IV, Withanoside V and Sitoindoside IX exhibited potential inhibition against main protein (Mpro) of SARS-CoV-2 [15]. Similar observations were observed with Andrographolide from *Andrographis paniculate* exhibited potential inhibition against main protein (Mpro) of SARS-CoV-2 [16]. In another docking study 6 gingesulphonic acid which is present in Sunthi (*Zingiber officinale* Roscoe) showed higher binding energy and inhibition to protein molecule of SARS-CoV-2 compared to hydroxychloroquine and quinine [17]. In a Prospective clinical study comprising *Daśmūlakatrayādi kaṣāya* and *Guḍūcyādi kvātha* tablets as add on to standard care showed a faster recovery from breathlessness with reduced ageusia and accelerate recovery in terms of reduction of symptoms and duration of hospital stay [18].

### 3.1.2. Yoga



Using the key words “Yoga” or “meditation” and “COVID” or “corona virus” or “SARS” in PubMed search engine, we found 29 articles till December 2020. Out of these 29 articles, 18 articles were on Yoga and COVID-19. Out of 18 articles, 9 were review articles discussing the role of yoga in the pandemic [19–27], 4 were letters to editor and short communications [28–31], 2 were research protocols of randomized controlled trials, first one to study the efficacy of online Sudarshan Kriya Yoga (SKY) for frontline hospital staff [32] and the other to examine the effect of meditation app on anxiety and wellbeing [33], 2 were cross-sectional observational studies [34–35], 2 articles were on cancer care during pandemic [36–37], 1 on modifications in tele-training and tele-assessment in alternative therapies for multiple sclerosis during COVID-19 pandemic [38]. Out of 18 articles, 3 articles exclusively focused on the role of yoga in elderly [25,29–30] and 2 were related to maternal health during the pandemic times [24,26]. Only 4 articles discussed specific yoga modules for COVID-19 [19–20,28–29].

Here below, we aim at providing the contextual summary of the available reviews primarily focusing on yoga for COVID-19. A study exploring the patterns of physical activity across genders during the pandemic revealed a significant increase in women opting yoga along with reduction in walking and marching outdoors [35]. Yoga has been considered as one of the home-based activities that can be utilized to improve mental wellbeing amidst the pandemic [27]. Nagendra et al., emphasized on homeostasis at body as well as mind and provided philosophical relevance of *Pancha-koshas* (five sheaths of existence) and *viparyaya vritti* (false/misinterpretation of a subject) of Patanjali’s *pancha vrittis* (mental afflictions) and *pratipaksha bhavana* (contrary mental attitude recommended in yogic literature) to the current scenario in addition to the evidences suggesting role of yoga as an add-on in reducing severity of infections and inflammation [21]. Further in the same context, Nagarathna et al., discussed the challenges posed by the pandemic and the potential areas where yoga could play its role in prevention and management of COVID-19 such as stress management, improving the respiratory functions and immunity [19]. Another review aimed at highlighting the traditional knowledge from Ayurveda and Yoga to formulate local and systemic prophylactic and therapeutic measures in accordance to the known disease course of the SARS coronavirus 2 (SARS-CoV-2) [22]. Bushell et al, lucidly discussed the probable mechanisms of action of yoga and meditation in combating the current pandemic. The local and systemic anti-inflammatory actions of yoga have been discussed and further warranted an urgent need to investigate these mechanisms in order to validate and potentiate the use of yoga and meditation as an adjunct therapy for management of COVID-19 [23].

### 3.1.3. Ongoing Trials

Clinical Trial Registry of India (CTRI) has 122 registered trials on COVID-19. Of which, 42 trials were on modern medicine and 67 were registered on traditional systems of medicine. Of 67 trials, 45 were on Ayurveda, 14 on Homeopathy, 8 on Yoga/Siddha/Unani. Thirty-one trials included traditional system of medicine as prophylaxis and the other 36 trials as therapy for mild to moderate cases of COVID-19 [39]. However, results from these registered trials are still awaited.

## 3.2. Immune system

### 3.2.1. Ayurveda and Immunity

Every individual possesses inherent strength which opposes the manifestation and prevents the re-occurrence of disease. This innate strength is called *Vyādhikṣhamatva* in *Āyurveda*. Genetic, epigenetic and lifestyle of an individual determine this innate strength. *Ojus* (essence of seven tissue elements) is the chief contributor in sustaining *vyādhikṣhamatva*. Ayurveda concept of immunity is classified as *Sahaja* (constitutional), *Kālaaja* (chronobiologic) or *Yuktikṛta* (acquired strength) [40]. Optimum immunity plays a vital role in preventing/ minimizing the chances of infection in pandemic like situations. *Āyurvedic* approach towards promoting immunity includes the use of *Rasāyana* that comprises of proper daily regimens, seasonal regimens and consumption of medicinal herbs that enhance tissue regeneration. Among *Rasāyana* specially *Kāmya Rasāyana* is taken to increase the longevity and intelligence and *Ajsrika rasāyana* taken on the daily basis helps in optimizing the immune system [41]. Herbs such as *Tinospora Cordifolia*, *Embelia Officinale*, *Bacopa Monnieri*, *Curcuma Longa*, *Ocimum Tenuiflorum*, *Terminalia chebula*, *Withania somnifera* and *Asparagus racemosus* are potential immunomodulators [42]. Regular use of these herbs either alone or in form of preparations such as *Chavyanprash* and *Bramha rasāyana* helps in immune strengthening and serve as an effective prophylaxis in the management of SARS-COV-2 infection. *Swarna bindu prashana* (SBP) improves the immunity in infants and children [43].

### 3.2.2. Yoga and Immunity

Out of the literature available on yoga for COVID-19, there are no experimental studies that have demonstrated improvement in immune parameters of patients with COVID-19. However, there are ancillary evidences that point towards probable role of add-on yoga therapy in increasing the anti-inflammatory neuro-hormonal substances and thereby reducing in the severity of infection.

A randomised controlled trial compared the effects of 8-week yoga program and matched moderate intensity exercise and no intervention on the acute respiratory illness severity in individuals above 50 years of age during single flu season. Mean global severity [measured on Wisconsin Upper Respiratory Symptom Survey (WURSS-24)] was lesser in meditation group than the exercise group and was significantly lower when compared to control group [44]. Another study demonstrated that regular practice of integrated yoga program (joint loosening, sun salutations, breathing practices, *prāṇayāma* and relaxation techniques) for a month could boost the immunity and psychological health in patients with HIV [45,46]. Yoga has also been found beneficial as an adjunct to anti-tuberculosis treatment (ATT) in patients with pulmonary tuberculosis by reducing the symptom scores, sputum conversion on microscopy, improvement in the lung capacity and radiographic pictures [47].

A number of RCTs demonstrate the efficacy of yoga in regulating inflammatory markers. A recent systematic review of 15 RCTs revealed that the practice of Yoga significantly decreased pro-inflammatory markers such as Interleukins: (IL)-6, IL-1 $\beta$  and Tumor Necrosis Factor (TNF- $\alpha$ ) and increased the levels of anti-inflammatory markers such as IL-10 and IL-12 [48]. Further, Davidson et al. (2003) demonstrated an increase in antibody titer in response to influenza vaccine in the subjects who practiced 8-week meditation program as compared to the control non-meditators [49]. Studies have also demonstrated higher levels of circulating CD3+, CD4- and CD8+, B lymphocytes and Natural Killer cells (NK cells) in the meditators and yoga practitioners as compared to no-practitioners [50–52]. *Sudarshan kriya* (SK), a yogic breathing which includes *Ujjāyi* and *Bhastrika* practices has been found to lower blood lactate levels, enhance antioxidant defence [53] and improve Natural Killer (NK) cell counts [54]. Also, studies have reported that practice of yoga for 4 to 12 weeks can improve anti-oxidant status of an individual by improving the levels of glutathione and superoxide dismutase [55-56]. These evidences suggest the role of yoga in reducing the severity of infections by regulating the immune responses.

### 3.3. Respiratory System

#### 3.3.1. Ayurveda and Respiratory Health

SARS-CoV-2 enters the host via the respiratory tract, airway and alveolar epithelial cells, vascular endothelial cells and alveolar macrophages are among their first targets of viral entry. These cells are the initial targets for early infection and subsequent replication due to their expression of ACE2. Observations emulating the disease course of COVID-19, suggesting that the lung is the primary tropism of SARS-CoV-2. From Ayurveda point of view, the primary site of the disease is *Prāṇavaha srotas*, which includes both upper and lower respiratory tracts.

*Āyurveda* mentions several interventions that can improve the innate immunological responses of respiratory epithelium and thus may prevent the virus transmission to lungs. The daily regimen measures such as *Uṣha pāna* (drinking water retained in copper vessel), gargling, nasal installation and consuming hot food and water may be beneficial in maintaining the respiratory health that plays a key role in host defense mechanism against viral infections [57–59]. Medicated hot water (*Saḍaṅga pānīya*) may help in improving digestion and balancing of *vāta* and *kapha dosha* which play a major in manifestation of respiratory conditions such as rhinitis, cough and breathlessness [60].

AYUSH *kvātha*, a Government of India initiative, is an herbal concoction of household spices consisting of holy basil, cinnamon, ginger and black pepper along with jaggery/ raisins and lemon juice that may help in restoring the respiratory health. All the ingredients in AYUSH *kvātha* pacify *kapha* and *vāta*, they possess *Kāсахara*, *Svāsahara*, *Dēpana*, *Pāchana*, *Jvaragna* and *Kṛimigna* properties [61]. Further *Sodana* (bio-cleansing) in form of *Ritu sōdana* (seasonal bio-cleansing) and *Rasāyana* (immune modulators) for the maintenance of respiratory health. Several in-vitro, animal and human clinical studies have demonstrated the immunomodulatory effects of the *Rasāyana* drugs such as *Aswagandha* (*Withania somnifera*), *Gudūci* (*Tinospora cordifolia*) and *Āmalaki* (*Emblīca officinale*) [62]. Recent studies on *Aswagandha* have revealed significant increase in immunoglobulins viz. IgA, IgG and IgM [63]. *Gudūci* has been found to exert a variety of immunomodulatory effects such as stimulation of phagocytic functions, macrophage and mitogenic activity, antibody responses, synthesis of interleukins, and humoral and cell-mediated immunity, both in-vitro and in-vivo respectively [64]. Another study on *Āmalaki rasāyana* (AR) has suggested that it possesses an immuno-stimulant and cytoprotective activity [65].

### 3.3.2. Yoga and Respiratory health

Currently, there are no experimental studies that demonstrated improvement in lung functions in patients with COVID-19. Thereby, we have aimed at drawing evidences from synonymous non-infectious conditions with respiratory distress. Consistent practice of yogic breathing techniques (*Prāṇayāma*) improves lung functions and capacity by strengthening the inspiratory and expiratory muscles [66]. In a controlled study, the practice of *Bhastrika* (Bellow's breath) *Prāṇayāma* significantly increased the maximum inspiratory and expiratory pressures in comparison to the stretching exercises in the elderly participants [67]. Further, a randomised, double-blind, placebo-controlled, crossover trial demonstrated improvement in mean forced

expiratory volume in 1-second (FEV1), peak expiratory flow rate, symptom score, and inhaler use (over the past 3 days) in 18 patients with mild asthma after the practice of slow deep yogic breathing. The breathing was practiced for 15 minutes, twice a day, for two consecutive weeks [68]. Similar improvements have been reported in trials involving patients with moderate to severe asthma and Chronic Obstructive Pulmonary Disease (COPD) [69-70]. Chair based yoga breathing practices have been found useful in acute airway obstruction in patients with bronchial asthma [19]. Soni et al. also reported an improvement in TLCO (Transfer factor of Lung for Carbon Monoxide) diffusion capacity inpatients in the yoga arm. TLCO improved from  $17.61 \pm 4.55$  to  $19.08 \pm 5.09$  ml/mmHg/min in patients with mild COPD and from  $14.99 \pm 4.02$  to  $17.35 \pm 3.97$  ml/mmHg/min in patients with moderate COPD, as compared to the control group who were on conventional therapy alone [71]. A study assessed blood oxygen saturation before, during and after two yoga breathing techniques; high frequency yoga breathing (*Kapālabhāti*) and breath awareness in 29 healthy young male volunteers. A significant increase in oxygen saturation was noted after high frequency yoga breathing for 33-minutes [72]. Another study examining the effect of Humming breath (*BhrāmariPrāṇayāma*) reported improvement in sinus ventilation and 15-fold increase in nasal nitric oxide (NO) levels (involved in host defence functions) [73].

### 3.4.Mental Health

#### 3.4.1. Ayurveda and Mental Health

During the current pandemic, Rajkumar et al reported that 28% of the screened subjects (general public and healthcare professionals) reported stress, symptoms of anxiety and depression [74]. A meta-analysis of 300 studies concluded that chronic stressors reduce both cell mediated and humoral immunity of the host [9]. On the other hand, reduction in stress hormones, psychological stress, anxiety and depression are associated with better functioning of the immune system. This emphasizes the need for addressing mental health issues during the current pandemic. Both Physical and psychological disorders have the capacity to exert mutual effects on each other. Conditions like fever can exert its effect over mind and can lead to psychological manifestations and on other hand psychological conditions can lead the physical manifestations (ca.vi 6/7). *Swāsthya* (health) in Ayurveda includes mental well-being in the form of *Prasanna* (healthy) *Ātma* (soul) *Manah* (mind) and *Indriyāḥ* (senses) [6]. Caraka has advocated *Āchāra rasāyana* (code of behavioral conduct) for perfect mental, physical, social, spiritual health of human beings. It includes moral, ethical, and benevolent conduct: truth, nonviolence, personal and public cleanliness, mental and personal hygiene, devotion, compassion, and a yogic lifestyle [4].

A study suggested that individual who strongly follow *Āchara rasāyana* were good at academics, enjoying good physical and mental health and friendly reputation among peers [75]. Further acharyas advocated intake of *Medhya rasāyana* (psychotropic Ayurvedic pharmacological interventions) for maintenance of mental health. *Medhya rasāyana* include drugs which help in cognition enhancement and act as brain tonics or rejuvenators e.g., *mandūkapaṇi* (*Centella asiatica*), *Yaṣṭimadhu* (*Glycyrrhiza glabra*), *Gudūci* (*Tinospora cordifolia*) and *Sankhapuṣpi* (*clitoria ternatea*) [4]. These drugs promote *Dhi* (Intellect) *Dhṛti* (power of self-control), and *Smṛti* (memory). Further, *Medhya rasāyanas* balance *Manodoṣas* (humours that control the mind) viz., *rajas* (speed) and *tamas* (indolence) thereby regulating and promoting healthy mental functions [76]. Another study revealed that consumption of *Aswagandha* 600 mg/day for 12 weeks led to overall improvement in the general wellbeing, sleep quality and mental alertness of healthy subjects [77]. Meta-analysis on *Centella asiatica* suggested improvement in alertness and reduction in anger outbursts [78]. Similarly, a study on *Sankhapuṣpi* demonstrated its memory-enhancing, anxiolytic, antidepressant and memory-enhancing activity [79]. Hence psychotropic Ayurvedic pharmacological interventions may benefit in managing stress, anxiety and depression.

### 3.4.2. Yoga and Mental Health

Mental health plays a pivotal role in regulation of proper immune responses and homeostasis. However, mental health has taken a greater toll in all the sections of the society due to the COVID-19 pandemic [20]. This has resulted in increase incidences of anxiety, depression and leaving the vulnerable population such as healthcare worker at the risk of Post Traumatic Stress Disorder (PTSD) [31]. Yoga has been included as one of the home-based activities to improve mental health during the current pandemic [27]. There are evidences on the efficacy of yoga in previous similar natural disasters [80-81]. There are two studies that have reported improvement in mental health during the current pandemic period. A cross sectional study has reported that higher percentage of non-practitioners (33%) of Sudarshan kriya yoga (SKY) have reported anxiety and negative effects on their mental health that SKY practitioners (17.7%) during the current pandemic [34]. Another, a pre-post single group study investigated the effect of tele-yoga intervention on perceived stress. To meet the norms of social distancing during the present pandemic, a tele-yoga module was designed and was offered to the general public during the national lockdown period. The participants were assessed on perceived stress scale (PSS-10), yoga performance assessment (YPA) and visual analog scale (VAS) at the baseline and after 4-week yoga program. Their YPA scores indicated that yoga practices were learnt properly and



efficiently. At the end of 4-weeks, a significant reduction in perceived stress on PSS-10 and improvement in wellbeing on VAS was noted, suggesting usefulness of the tele-yoga module in reducing stress and improving mental wellbeing [28].

Prodigious amount of evidence suggests usefulness of yoga to induce mental tranquillity and equilibrium. Yoga is known to regulate hypothalamo-pituitary-adrenal (HPA) axis and bring balance in autonomic nervous system functions. Practice of yoga increases the Gamma Amino Butyric Acid (GABA) levels and reduces the levels of cortisol (stress hormone) and catecholamines leading to reduction in stress, anxiety and depression [82-83]. Further, a systematic review that studied 7 RCTs with 240 participants with major depressive disorder reported positive effects of yoga beyond placebo and concluded that yoga intervention was comparable to other evidence-based conventional interventions [84]. Similarly, systematic review including RCTs on anxiety disorders and individuals with elevated levels of anxiety reveals that yoga is safe and effective for elevated levels of anxiety and warrants further studies to conclude its efficacy for anxiety disorders. Recent systematic reviews studying the effects of yoga in stress in healthy individuals and healthcare workers suggested positive effects of yoga on reducing stress [85-86].

## **4. Discussion**

### **4.1. Critical Analysis of Literature**

As narrated above, current available literature in Yoga and Ayurveda has lucid theoretical framework that could be used as foundation for the experimental studies to examine their effects for COVID-19 infection in the domains of improving immunity, reducing respiratory distress and improving mental health. Recommendations and probable usefulness of Yoga and Ayurveda in COVID-19 in the existent literature has been extrapolated from its effects on other similar conditions such as acute upper respiratory infections, obstructive lung disorders, and so on. Though some case-studies and small pilot experimental studies have been published, experimental studies with robust methodology and validated intervention protocols on humans are lacking and are warranted in future. Scientific rigour should be followed to ascertain the efficacy of such interventions.

### **4.2. Probable Mechanisms of Action**

#### **4.2.1. Ayurveda**

With a view point of prevention and improving the host defence mechanism when the contact of the pathogen with the host is unavoidable the above narrated measures helps to overcome/minimize the severity of the infection. *Rasāyana dravyas* may stimulate humoral immunity in terms of antibody production and cell-mediated immunity in terms of delayed-type hypersensitivity (DTH) [42]. They may diminish the release of  $\text{TNF}\alpha$ , IL-1, inhibit NF- $\kappa\text{B}$ , increase B cell proliferation and act by chain braking and scavenging of free radicles [88]. Study has suggested that *Svarṇa bindhu prāśana* may enhance differentiation immature dendritic cells into mature dendritic cells through expression of CD83 and CD86 which may effectively strengthen the immune system [43]. Copper impregnated water has been found to have antimicrobial, antioxidant, anti-carcinogenic and anti-inflammatory properties [57]. Mouth rinsing with warm liquids and medicated oil may help in excretion of toxic heavy metals by saliva, may activate salivary enzymes, thus detoxifying the entire body [58]. Nasal installation of medicated oils and vegetable oils such as sesame oil may act as protective layer and trap virus particles thereby preventing direct contact and binding of virus onto the surface of nasal mucosa [59]. Ingredients of AYUSH *kvātha* possess antiviral, anti-inflammatory and antioxidant properties. Active constituents of these drugs like eugenol, linoleic acid in holy basil, cinnamaldehyde in cinnamon, gingerols, shogaols in ginger and piperine in pepper scan has been found to downregulate the proinflammatory pathways thereby decreasing INF- $\gamma$ , IL-4 and exerting anti-atherosclerotic, anti-coagulative and anti-platelet activity [89].

#### 4.2.2. Yoga

Yogic practices (particularly prāṇayāma and meditation) have exhibited significant immunomodulatory effects such as increase in production of immunoglobulins, activation of phagocytic functions and enhancement in humoral as well as cell-mediated immunity [49–51,54]. Further, they have been found to reduce inflammatory cytokines such as IL-6, IL-1b, TNF-a which are part of the ‘cytokine storm’ reported in COVID-19. They have also been shown to improve the levels of anti-inflammatory cytokines (IL-10 and IL-12) and anti-oxidant status of individuals [44,51-52]. Yoga induces neuro-hormonal modulation via HPA axis resulting in reduction of cortisol levels and balance in sympathetic and parasympathetic nervous system. Further, practice of yoga increases GABA levels that also stimulates vagus nerve resulting in parasympathetic predominance and optimization of proper immune responses [82,90]. Psychological stress, anxiety and deterioration of sleep quality have increased during the pandemic [20]. These symptoms may be downregulated by the promotive effects of yoga on



melatonin secretion [91]. Melatonin is known anti-oxidant that plays an important role in improving sleep quality and ameliorating stress and anxiety. Yogic breathing techniques have also been found useful in improving lung functions in conditions with respiratory distress such as COPD and bronchial asthma [69-70], suggesting a probable role in reducing respiratory distress in patients with COVID-19 infection.

The available literature points towards potential role of Ayurveda and Yoga in prevention of COVID-19 infection, reduction in the intensity of the symptoms and infection in those afflicted, as well as improving pulmonary function, quality of life and mental wellbeing in the rehabilitative phase post-COVID.

### **Limitations of current literature review**

This narrative review has not been systematised according to the PRISMA guidelines of reporting studies due to scanty literature available on the effect of yoga and Ayurveda for COVID-19 per se. The above suggestions have been drawn based on the efficacy of yogic practices and āyurveda drugs as preventive and therapeutic measures in condition bearing similar clinical picture.

### **Future Directions**

Collaborative multi-centric trials to evaluate the safety, feasibility and efficacy of Ayurveda and Yoga lifestyle interventions in treating various stages and severity of the COVID-19 infection are the need of the hour. This will enable recommendation of specific Ayurveda and Yoga protocols for each stage of the illness.

### **Conclusion**

Though conclusive evidences on role of Yoga and Ayurveda on COVID-19 are lacking. The available ancillary evidences point towards the potential role of Yoga and Ayurveda in preventing and mitigating the infection through modulating our immune system, and strengthening respiratory and mental health respectively. This suggests an urgent need for conducting systematic clinical trials to investigate the add-on efficacy of Yoga and Ayurveda lifestyle interventions with current conventional treatment approaches.

### **Conflict of Interest**

Authors declare no conflict of interest

## References

1. Conti P. Induction of pro-inflammatory cytokines (IL-1 and IL-6) and lung inflammation by COVID-19: anti-inflammatory strategies. *J Biol Regul Homeost Agents* [Internet]. 2020 Mar [cited 2020 Jul 6];34(2):1. Available from: <http://doi.org/10.23812/CONTI-E>
2. Stebbing J, Phelan A, Griffin I, Tucker C, Oechsle O, Smith D, et al. COVID-19: combining antiviral and anti-inflammatory treatments. *The Lancet Infectious Diseases* [Internet]. 2020 Apr 1 [cited 2020 Jul 6];20(4):400–2. Available from: [https://www.thelancet.com/journals/laninf/article/PIIS1473-3099\(20\)30132-8/abstract](https://www.thelancet.com/journals/laninf/article/PIIS1473-3099(20)30132-8/abstract)
3. Agnivesha, Charaka samhita of Acharya Charaka, Dridhabala krit, edited by Vaidya Jadavaji Trikamji Acharya. Viamna Sthana. Ch.3, 2<sup>nd</sup> edition, Varanasi: Chaukhamba Sanskrit Sansthan; 1990.
4. Agnivesha, Charaka samhita of Acharya Charaka, Dridhabala krit, edited by Vaidya Jadavaji Trikamji Acharya. Chikitsa Sthana. Ch.3, 2<sup>nd</sup> edition, Varanasi: Chaukhamba Sanskrit Sansthan; 1990.
5. Dhallana, Sushruta Samhita, edited by Vaidya Jadavaji Trikamji Acharya. Sutra Sthana Ch 15, 2<sup>nd</sup> edition, Varanasi: Chaukhamba Sanskrit Sansthan; 1990.
6. Dhallana, Sushruta Samhita, edited by Vaidya Jadavaji Trikamji Acharya. Sutra Sthana Ch 15, 2<sup>nd</sup> edition, Varanasi: Chaukhamba Sanskrit Sansthan; 1990.
7. Huang C, Wang Y, Li X, Ren L, Zhao J, Hu Y, et al. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *The Lancet* [Internet]. 2020 Feb 15 [cited 2020 Jul 8];395(10223):497–506. Available from: <http://www.sciencedirect.com/science/article/pii/S0140673620301835>
8. Nagendra HR, Nagarathna R. Promotion of Positive Health. Bangalore, India: Swami Vivekananda Yoga Prakashana. 2004;
9. Segerstrom SC, Miller GE. Psychological stress and the human immune system: a meta-analytic study of 30 years of inquiry. *Psychological bulletin*. 2004;130(4):601.
10. Bhargav H, Raghuram N, Rao NH, Tekur P, Koka PS. Potential yoga modules for treatment of hematopoietic inhibition in HIV-1 infection. *Journal of stem cells*. 2010;5(3):129–48.
11. Maurya VK, Kumar S, Bhatt MLB, Saxena SK. Antiviral activity of traditional medicinal plants from Ayurveda against SARS-CoV-2 infection. *J Biomol Struct Dyn*. :1–17.
12. Chikhale RV, Sinha SK, Patil RB, Prasad SK, Shakya A, Gurav N, et al. In-silico investigation of phytochemicals from *Asparagus racemosus* as plausible antiviral agent in COVID-19. *J Biomol Struct Dyn*. 2020 Jun 24;1–15.
13. Chowdhury P. In silico investigation of phytoconstituents from Indian medicinal herb ‘*Tinospora cordifolia* (giloy)’ against SARS-CoV-2 (COVID-19) by molecular dynamics approach. *J Biomol Struct Dyn*. :1–18.

14. Siddiqui S, Upadhyay S, Ahmad R, Gupta A, Srivastava A, Trivedi A, et al. Virtual screening of phytoconstituents from miracle herb nigella sativa targeting nucleocapsid protein and papain-like protease of SARS-CoV-2 for COVID-19 treatment. *J Biomol Struct Dyn.* :1–21.
15. Tripathi MK, Singh P, Sharma S, Singh TP, Ethayathulla AS, Kaur P. Identification of bioactive molecule from *Withania somnifera* (Ashwagandha) as SARS-CoV-2 main protease inhibitor. *J Biomol Struct Dyn.* :1–14.
16. Enmozhi SK, Raja K, Sebastine I, Joseph J. Andrographolide as a potential inhibitor of SARS-CoV-2 main protease: an in silico approach. *J Biomol Struct Dyn.* 2020 May 5;1–7.
17. Gandhi AJ, Rupareliya JD, Shukla VJ, Donga SB, Acharya R. An ayurvedic perspective along with in silico study of the drugs for the management of SARS-CoV-2. *J Ayurveda Integr Med [Internet]*. 2020 Jul 21 [cited 2020 Dec 22]; Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7373022/>
18. Wanjarkhedkar P, Sarade G, Purandare B, Kelkar D. A prospective clinical study of an Ayurveda regimen in COVID 19 patients. *J Ayurveda Integr Med [Internet]*. 2020 Oct 19 [cited 2020 Dec 22]; Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7572087/>
19. Nagarathna R, Nagendra HR, Majumdar V. A Perspective on Yoga as a Preventive Strategy for Coronavirus Disease 2019. *Int J Yoga.* 2020 Aug;13(2):89–98.
20. Sharma K, Anand A, Kumar R. The role of Yoga in working from home during the COVID-19 global lockdown. *Work.* 2020;66(4):731–7.
21. Nagendra HR. Yoga for COVID-19. *Int J Yoga.* 2020 Aug;13(2):87–8.
22. Tillu G, Chaturvedi S, Chopra A, Patwardhan B. Public Health Approach of Ayurveda and Yoga for COVID-19 Prophylaxis. *J Altern Complement Med.* 2020 May;26(5):360–4.
23. Bushell W, Castle R, Williams MA, Brouwer KC, Tanzi RE, Chopra D, et al. Meditation and Yoga Practices as Potential Adjunctive Treatment of SARS-CoV-2 Infection and COVID-19: A Brief Overview of Key Subjects. *J Altern Complement Med.* 2020 Jul;26(7):547–56.
24. Nadholta P, Bali P, Singh A, Anand A. Potential benefits of Yoga in pregnancy-related complications during the COVID-19 pandemic and implications for working women. *Work.* 2020;67(2):269–79.
25. Shahrbanian S, Alikhani S, Ahmadi Kakavandi M, Hackney AC. Physical Activity for Improving the Immune System of Older Adults During the COVID-19 Pandemic. *Altern Ther Health Med.* 2020 Aug;26(S2):117–25.
26. Shidhaye R, Madhivanan P, Shidhaye P, Krupp K. An Integrated Approach to Improve Maternal Mental Health and Well-Being During the COVID-19 Crisis. *Front Psychiatry [Internet]*. 2020 Nov 24 [cited 2020 Dec 29];11. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7732456/>

27. Puyat JH, Ahmad H, Avina-Galindo AM, Kazanjian A, Gupta A, Ellis U, et al. A rapid review of home-based activities that can promote mental wellness during the COVID-19 pandemic. *PLoS One*. 2020;15(12):e0243125.
28. Jasti N, Bhargav H, George S, Varambally S, Gangadhar BN. Tele-yoga for stress management: Need of the hour during the COVID-19 pandemic and beyond? *Asian J Psychiatr* [Internet]. 2020 Dec [cited 2020 Aug 8];54:102334. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7396129/>
29. Venugopal V, Pamavathi R, Venkateswaran ST, Gunasekaran D, Maheshkumar K. Protecting the elders from COVID- 19 impact-leveraging yoga. *J Family Med Prim Care*. 2020 Aug;9(8):4487–8.
30. Mohanty S, Sharma P, Sharma G. Yoga for infirmity in geriatric population amidst COVID-19 pandemic: Comment on “Age and Ageism in COVID-19: Elderly mental health-care vulnerabilities and needs.” *Asian J Psychiatr*. 2020 Oct;53:102199.
31. Ransing R, Pinto da Costa M, Adiukwu F, Grandinetti P, Schuh Teixeira AL, Kilic O, et al. Yoga for COVID-19 and natural disaster related mental health issues: Challenges and perspectives. *Asian J Psychiatr*. 2020 Oct;53:102386.
32. Lai KSP, Watt C, Ionson E, Baruss I, Forchuk C, Sukhera J, et al. Breath Regulation and yogic Exercise An online Therapy for calm and Happiness (BREATH) for frontline hospital and long-term care home staff managing the COVID-19 pandemic: A structured summary of a study protocol for a feasibility study for a randomised controlled trial. *Trials*. 2020 Jul 14;21(1):648.
33. O'Donnell KT, Dunbar M, Speelman DL. Effectiveness of using a meditation app in reducing anxiety and improving well-being during the COVID-19 pandemic: A structured summary of a study protocol for a randomized controlled trial. *Trials*. 2020 Dec 9;21(1):1006.
34. Parimala S, Kanchibhotla D. Association Between Yogic Breathing Practice With Perceived Impact of COVID-19: A Cross-Sectional Study From India. *Asia Pac J Public Health*. 2020 Nov 30;1010539520975282.
35. Zaworski K, Kubińska Z, Dziwulska A, Walasek O. Physical activity of Poles in the care for their health potential before and during the COVID-19 pandemic. *Disaster Med Public Health Prep*. 2020 Oct 22;1–13.
36. Trevino KM, Raghunathan N, Latte-Naor S, Polubriaginof FCG, Jensen C, Atkinson TM, et al. Rapid deployment of virtual mind-body interventions during the COVID-19 outbreak: feasibility, acceptability, and implications for future care. *Support Care Cancer*. 2020 Sep 9;
37. Zhang Y, Yao F, Kuang X, Li L, Huang L, Zhou Q, et al. How Can Alternative Exercise Traditions Help Against the Background of the COVID-19 in Cancer Care? An Overview of Systematic Reviews. *Cancer Manag Res*. 2020;12:12927–44.
38. Lai B, Chiu C-Y, Pounds E, Tracy T, Mehta T, Young H-J, et al. COVID-19 Modifications for Remote Teleassessment and Teletraining of a Complementary Alternative Medicine

- Intervention for People With Multiple Sclerosis: Protocol for a Randomized Controlled Trial. *JMIR Res Protoc*. 2020 Jul 3;9(7):e18415.
39. Rao MVV, Juneja A, Maulik M, Adhikari T, Sharma S, Gupta J, et al. Emerging trends from COVID-19 research registered in the Clinical Trials Registry - India. *Indian J Med Res*. 2020 Nov 4;
  40. Agnivesha, Charaka samhita of Acharya Charaka, Dridhabala krit, edited by Vaidya Jadavaji Trikamji Acharya. Viamna Sthana. Ch.27, Verse 6, 2<sup>nd</sup> edition, Varanasi: Chaukhamba Sanskrit Sansthan; 1990.
  41. Dhallana, Sushrutha Samhita, edited by Vaidya Jadavaji Trikamji Acharya. Sutra Sthana Ch 27, Verse 2, 2<sup>nd</sup> edition, Varanasi: Chaukhamba Sanskrit Sansthan; 1990.
  42. Balasubramani SP, Venkatasubramanian P, Kukkupuni SK, Patwardhan B. Plant-based Rasayana drugs from Ayurveda. *Chin J Integr Med*. 2011 Feb;17(2):88–94.
  43. Nelaturi P, Nagarajan P, Sabapathy SK, Sambandam R. Swarna Bindu Prashana—an Ancient Approach to Improve the Infant’s Immunity. *Biol Trace Elem Res*. 2020 Aug 27;1–4.
  44. Barrett B, Hayney MS, Muller D, Rakel D, Ward A, Obasi CN, et al. Meditation or exercise for preventing acute respiratory infection: a randomized controlled trial. *Ann Fam Med*. 2012 Aug;10(4):337–46.
  45. Naoroibam R, Metri KG, Bhargav H, Nagaratna R, Nagendra HR. Effect of Integrated Yoga (IY) on psychological states and CD4 counts of HIV-1 infected patients: a randomized controlled pilot study. *International journal of yoga*. 2016;9(1):57.
  46. Hari Chandra B, Ramesh MN, Nagendra HR. Effect of Yoga on Immune Parameters, Cognitive Functions, and Quality of Life among HIV-Positive Children/Adolescents: A Pilot Study. *Int J Yoga* [Internet]. 2019 [cited 2020 Apr 1];12(2):132–8. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6521755/>
  47. Visweswaraiiah NK, Telles S. Randomized trial of yoga as a complementary therapy for pulmonary tuberculosis. *Respirology*. 2004;9(1):96–101.
  48. Falkenberg RI, Eising C, Peters ML. Yoga and immune system functioning: a systematic review of randomized controlled trials. *J Behav Med* [Internet]. 2018 Aug 1 [cited 2020 Jul 6];41(4):467–82. Available from: <https://doi.org/10.1007/s10865-018-9914-y>
  49. Davidson RJ, Kabat-Zinn J, Schumacher J, Rosenkranz M, Muller D, Santorelli SF, et al. Alterations in Brain and Immune Function Produced by Mindfulness Meditation. *Psychosomatic Medicine* [Internet]. 2003 Jul [cited 2020 Apr 19];65(4):564–70. Available from: [https://journals.lww.com/psychosomaticmedicine/Fulltext/2003/07000/Alterations\\_in\\_Brain\\_and\\_Immune\\_Function\\_Produced.14.aspx](https://journals.lww.com/psychosomaticmedicine/Fulltext/2003/07000/Alterations_in_Brain_and_Immune_Function_Produced.14.aspx)
  50. Infante JR, Peran F, Rayo JI, Serrano J, Domínguez ML, Garcia L, et al. Levels of immune cells in transcendental meditation practitioners. *Int J Yoga* [Internet]. 2014 [cited 2020 Jul 6];7(2):147–51. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4097901/>

51. Zope SA, Zope RA. Sudarshan kriya yoga: Breathing for health. *Int J Yoga* [Internet]. 2013 [cited 2020 Jul 6];6(1):4–10. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3573542/>
52. Kamei T, Toriumi Y, Kimura H, Kimura K. Correlation between alpha rhythms and natural killer cell activity during yogic respiratory exercise. *Stress and Health* [Internet]. 2001 [cited 2020 Dec 29];17(3):141–5. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1002/smi.889>
53. Sharma H, Sen S, Singh A, Bhardwaj NK, Kochupillai V, Singh N. Sudarshan Kriya practitioners exhibit better antioxidant status and lower blood lactate levels. *Biological psychology*. 2003;63(3):281–91.
54. Kochupillai V, Kumar P, Singh D, Aggarwal D, Bhardwaj N, Bhutani M, et al. Effect of rhythmic breathing (Sudarshan Kriya and Pranayam) on immune functions and tobacco addiction. *Annals of the New York Academy of Sciences*. 2005;1056(1):242–52.
55. Lim S-A, Cheong K-J. Regular yoga practice improves antioxidant status, immune function, and stress hormone releases in young healthy people: a randomized, double-blind, controlled pilot study. *The Journal of Alternative and Complementary Medicine*. 2015;21(9):530–8.
56. Agte VV, Chiplonkar SA. Sudarshan Kriya Yoga for Improving Antioxidant Status and Reducing Anxiety in Adults. *Alternative and Complementary Therapies* [Internet]. 2008 Apr 1 [cited 2020 Jul 6];14(2):96–100. Available from: <https://www.liebertpub.com/doi/abs/10.1089/act.2008.14204>
57. Wagh K, Nagendra A, Vairagade A. Study on antibacterial activity of various water storing vessels.
58. Shanbhag VKL. Oil pulling for maintaining oral hygiene – A review. *J Tradit Complement Med*. 2016 Jun 6;7(1):106–9.
59. Fan W, Zeng J, Xu Y. A theoretical discussion of the possibility and possible mechanisms of using sesame oil for prevention of 2019-nCoV (COVID-19 coronavirus) from the perspective of colloid and interface science. 2020.
60. Agnivesha, Charaka samhita of Acharya Charaka, Dridhabala krit, edited by Vaidya Jadavaji Trikamji Acharya. *Viamna Sthana*. Ch.3, Verse 145, 2<sup>nd</sup> edition, Varanasi: Chaukhamba Sanskrit Sansthan; 1990.
61. Bhavamishra, Bhavaprakasha Samhita, Poorva khanda, Bulusu Sitaram. 2018th ed. Vol. 1. Varanasi: Chaukamaba Orientalia;
62. Balasubramani SP, Venkatasubramanian P, Kukkupuni SK, Patwardhan B. Plant-based Rasayana drugs from Ayurveda. *Chinese journal of integrative medicine*. 2011;17(2):88–94.
63. Chudasama K, Singh G. Efficacy of Ashvagandha (*Withania Somnifera*) On Immunity Of Krishna (Underweight). *Journal of Ayurveda Physicians and Surgeons*. 2015;2(3):61–5.



64. Thattet UM, Dahanukar SA. Immunotherapeutic modification of experimental infections by Indian medicinal plants. *Phytotherapy Research* [Internet]. 1989 [cited 2020 Jul 8];3(2):43–9. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1002/ptr.2650030202>
65. Rajani J, Ashok BK, Galib, Patgiri BJ, Prajapati PK, Ravishankar B. Immunomodulatory activity of Āmalaki Rasāyana: An experimental evaluation. *Anc Sci Life* [Internet]. 2012 [cited 2020 Jul 8];32(2):93–8. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3807964/>
66. Madanmohan null, Thombre DP, Balakumar B, Nambinarayanan TK, Thakur S, Krishnamurthy N, et al. Effect of yoga training on reaction time, respiratory endurance and muscle strength. *Indian J Physiol Pharmacol*. 1992 Oct;36(4):229–33.
67. Santaella DF, Devesa CRS, Rojo MR, Amato MBP, Drager LF, Casali KR, et al. Yoga respiratory training improves respiratory function and cardiac sympathovagal balance in elderly subjects: a randomised controlled trial. *BMJ Open* [Internet]. 2011 Jan 1 [cited 2020 Jul 6];1(1):e000085. Available from: <https://bmjopen.bmj.com/content/1/1/e000085>
68. Singh V, Wisniewski A, Britton J, Tattersfield A. Effect of yoga breathing exercises (pranayama) on airway reactivity in subjects with asthma. *The Lancet* [Internet]. 1990 Jun 9 [cited 2020 Jul 6];335(8702):1381–3. Available from: <http://www.sciencedirect.com/science/article/pii/0140673690912548>
69. Cramer H, Haller H, Klose P, Ward L, Chung VC, Lauche R. The risks and benefits of yoga for patients with chronic obstructive pulmonary disease: a systematic review and meta-analysis. *Clinical rehabilitation*. 2019;33(12):1847–62.
70. Yang Z-Y, Zhong H-B, Mao C, Yuan J-Q, Huang Y-F, Wu X-Y, et al. Yoga for asthma. *Cochrane Database of Systematic Reviews*. 2016;(4).
71. Soni R, Munish K, Singh K, Singh S. Study of the effect of yoga training on diffusion capacity in chronic obstructive pulmonary disease patients: A controlled trial. *Int J Yoga* [Internet]. 2012 [cited 2020 Jul 6];5(2):123–7. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3410191/>
72. Gupta RK, Telles S, Balkrishna A. Effect of Two Yogic Breathing Techniques on Oxygen Saturation. *Indian journal of physiology and pharmacology*. 2011;55(5).
73. Weitzberg E, Lundberg JO. Humming greatly increases nasal nitric oxide. *American journal of respiratory and critical care medicine*. 2002;166(2):144–5.
74. Rajkumar RP. COVID-19 and mental health: A review of the existing literature. *Asian Journal of Psychiatry* [Internet]. 2020 Aug 1 [cited 2020 Jul 6];52:102066. Available from: <http://www.sciencedirect.com/science/article/pii/S1876201820301775>
75. Desai P. Assessment of Achara Rasayana in domain of physical, mental and social health in Ayurveda students. 2015;3:6.
76. Tiwari R, Tripathi JS, Gupta S, Reddy KRC. Pharmaceutical and clinical studies on compound Ayurvedic formulation. *Saraswata churna International research journal of pharmacy*. 2011;2:77–84.

77. Charan J, Bhardwaj P, Dutta S, Kaur R, Bist SK, Detha MD, et al. Use of Complementary and Alternative Medicine (CAM) and Home Remedies by COVID-19 Patients: A Telephonic Survey. *Indian J Clin Biochem*. 2020 Oct 31;1–4.
78. Puttarak P, Dilokthornsakul P, Saokaew S, Dhippayom T, Kongkaew C, Sruamsiri R, et al. Effects of *Centella asiatica* (L.) Urb. on cognitive function and mood related outcomes: A Systematic Review and Meta-analysis. *Sci Rep* [Internet]. 2017 Sep 6 [cited 2020 Dec 29];7. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5587720/>
79. Malik J, Karan M, Vasisht K. Nootropic, anxiolytic and CNS-depressant studies on different plant sources of shankhpushpi. *Pharmaceutical Biology*. 2011 Dec 1;49(12):1234–42.
80. Descilo T, Vedamurtachar A, Gerbarg PL, Nagaraja D, Gangadhar BN, Damodaran B, et al. Effects of a yoga breath intervention alone and in combination with an exposure therapy for post-traumatic stress disorder and depression in survivors of the 2004 South-East Asia tsunami. *Acta Psychiatr Scand*. 2010 Apr;121(4):289–300.
81. Telles S, Singh N, Joshi M, Balkrishna A. Post traumatic stress symptoms and heart rate variability in Bihar flood survivors following yoga: a randomized controlled study. *BMC Psychiatry*. 2010 Mar 2;10:18.
82. Streeter CC, Whitfield TH, Owen L, Rein T, Karri SK, Yakhkind A, et al. Effects of yoga versus walking on mood, anxiety, and brain GABA levels: a randomized controlled MRS study. *The Journal of Alternative and Complementary Medicine*. 2010;16(11):1145–52.
83. Thirthalli J, Naveen GH, Rao MG, Varambally S, Christopher R, Gangadhar BN. Cortisol and antidepressant effects of yoga. *Indian journal of psychiatry*. 2013;55(Suppl 3):S405.
84. Cramer H, Anheyer D, Lauche R, Dobos G. A systematic review of yoga for major depressive disorder. *J Affect Disord*. 2017 Apr 15;213:70–7.
85. Cocchiara RA, Peruzzo M, Mannocci A, Ottolenghi L, Villari P, Polimeni A, et al. The Use of Yoga to Manage Stress and Burnout in Healthcare Workers: A Systematic Review. *J Clin Med*. 2019 Feb 26;8(3).
86. Wang F, Szabo A. Effects of Yoga on Stress Among Healthy Adults: A Systematic Review. *Altern Ther Health Med*. 2020 Jul;26(4).
87. Agnivesha, Charaka samhita of Acharya Charaka, Dridhabala krit, edited by Vaidya Jadavaji Trikamji Acharya. Chikitsa Sthana. Ch.3, Verse 89-108, 2<sup>nd</sup> edition, Varanasi: Chaukhamba Sanskrit Sansthan; 1990.
88. Lele RD. Beyond reverse pharmacology: Mechanism-based screening of Ayurvedic drugs. *J Ayurveda Integr Med*. 2010;1(4):257–65.
89. Gautam S, Gautam A, Chhetri S, Bhattarai U. Immunity against COVID-19: Potential role of Ayush Kwath. *J Ayurveda Integr Med* [Internet]. 2020 Aug 17 [cited 2020 Dec 22]; Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7430223/>



90. Streeter CC, Gerbarg PL, Saper RB, Ciraulo DA, Brown RP. Effects of yoga on the autonomic nervous system, gamma-aminobutyric-acid, and allostasis in epilepsy, depression, and post-traumatic stress disorder. *Medical hypotheses*. 2012;78(5):571–9.
91. Tooley GA, Armstrong SM, Norman TR, Sali A. Acute increases in night-time plasma melatonin levels following a period of meditation. *Biol Psychol*. 2000 May;53(1):69-78. doi: 10.1016/s0301-0511(00)00035-1. PMID: 10876066.

### Declaration of interests

☒ The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

☐ The authors declare the following financial interests/personal relationships which may be considered as potential competing interests:



Signature

Corresponding author